



# Industrial Plugs & Sockets

Product Catalog



# Industrial Plugs & Sockets



## Features

- **Durable Construction:** Built with high-quality materials to ensure long-lasting performance in demanding environments.
- **Reliable Connection:** Precision-engineered for secure and stable power connections.
- **Weather Resistant:** Designed to perform in extreme temperatures and challenging conditions.
- **Flexible Options:** Available in various sizes, configurations, and voltage capacities to suit diverse needs.
- **Enhanced Safety:** Features protective designs to prevent accidental disconnections or electrical hazards.
- **Easy Installation:** Ergonomic design ensures quick and hassle-free setup.

## Description

Scarb Industrial Plugs and Sockets deliver robust, high-performance solutions for secure power connections in industrial environments. Designed with impact-resistant materials and precision engineering, they ensure reliable performance in harsh conditions. RoHS compliant with complete traceability for all orders.

## Applications


- **Industrial Equipment:** Provides reliable power connections for heavy machinery and tools in manufacturing facilities.
- **Construction Sites:** Ensures safe and efficient electrical distribution in rugged and outdoor environments.
- **Workshops:** Ideal for powering tools and equipment in repair and maintenance workshops.
- **Data Centers:** Supports uninterrupted power supply for critical IT infrastructure.
- **Renewable Energy Systems:** Facilitates secure connections for wind turbines and solar power installations.
- **Marine Applications:** Withstands harsh marine environments for use on ships and offshore platforms.
- **Mining Operations:** Designed for high-durability performance in extreme underground conditions.
- **Event Management:** Enables efficient power distribution for lighting, sound, and equipment at events.
- **Oil & Gas Sites:** Suitable for hazardous environments requiring robust and secure electrical connections.
- **Agricultural Applications:** Powers irrigation systems and farm equipment with dependable performance.






# Industrial Plugs & Sockets

◆ Products that meet the German industry standard DIN VDE 0623, European / International Standard EN/IEC 60309-1/2 For other voltages and frequencies, please contact us for further information.




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	4h	110-130V-	2P+E	IP44
32A	4h	110-130V-	2P+E	IP44



a	b	c	ø	Cable nominal cross-section area (mm <sup>2</sup> )
59	51	122	6	1-2.5
75	64	136	8	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-250V-	2P+E	IP44
32A	6h	220-250V-	2P+E	IP44



a	b	c	ø	Cable nominal cross-section area (mm <sup>2</sup> )
59	51	122	6	1-2.5
75	64	136	8	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	380-415V-	3P+E	IP44
32A	6h	380-415V-	3P+E	IP44



a	b	c	ø	Cable nominal cross-section area (mm <sup>2</sup> )
65	55	122	6	1-2.5
75	64	136	8	2.5-6



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-380V- 240-415V-	3P+N+E	IP44
32A	6h	220-380V- 240-415V-	3P+N+E	IP44




a	b	c	ø	Cable nominal cross-section area (mm <sup>2</sup> )
72	64	130	8	1-2.5
84	70	143	8	2.5-6



# Industrial Plugs & Sockets




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
63A	4h	100-130V~	2P+E	IP67



a	b	c	∅	Cable nominal cross-section area (mm <sup>2</sup> )
108	108	230	16	6-16




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
63A	6h	220-250V~	2P+E	IP67



a	b	c	∅	Cable nominal cross-section area (mm <sup>2</sup> )
108	108	230	16	6-16




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
63A	6h	380-415V~	2P+E	IP67



a	b	c	∅	Cable nominal cross-section area (mm <sup>2</sup> )
108	108	230	16	6-16



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
63A	6h	220-380V~ 240-415V~	3P+N+E	IP67





a	b	c	∅	Cable nominal cross-section area (mm <sup>2</sup> )
108	108	230	16	6-16




# Industrial Plugs & Sockets

◆ Products that meet the German industry standard DIN VDE 0623, European / International Standard EN/IEC 60309-1/2 For other voltages and frequencies, please contact us for further information.




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	4h	110-130V~	2P+E	IP44
32A	4h	110-130V~	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
90	71	135	1-2.5
100	71	151	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-250V~	2P+E	IP44
32A	6h	220-250V~	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
90	71	135	1-2.5
100	71	151	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	380-415V~	3P+E	IP44
32A	6h	380-415V~	3P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
92	71	140	1-2.5
102	71	151	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-380V~ 240-415V~	3P+N+E	IP44
32A	6h	220-380V~ 240-415V~	3P+N+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
100	71	131	1-2.5
109	71	152	2.5-6




# Industrial Plugs & Sockets




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
63A	4h	100-130V~	2P+E	IP67

a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
133	108	310	6-25




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
63A	6h	220-250V~	2P+E	IP67

a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
133	108	310	6-25



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
63A	6h	380-415V~	2P+E	IP67

a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
133	108	310	6-25




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
63A	6h	220-380V~ 240-415V~	3P+N+E	IP67

a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
133	108	310	6-25




# Industrial Plugs & Sockets

◆ Products that meet the German industry standard DIN VDE 0623, European / International Standard EN/IEC 60309-1/2 For other voltages and frequencies, please contact us for further information.




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	4h	100-130V-	2P+E	IP44
32A	4h	100-130V-	2P+E	IP44



a	b	c	ø	Cable nominal cross-section area (mm <sup>2</sup> )
72	51	132	6	1-2.5
92	64	146	8	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-250V-	2P+E	IP44
32A	6h	220-250V-	2P+E	IP44



a	b	c	ø	Cable nominal cross-section area (mm <sup>2</sup> )
72	51	132	6	1-2.5
92	64	146	8	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	380-415V-	3P+E	IP44
32A	6h	380-415V-	3P+E	IP44



a	b	c	ø	Cable nominal cross-section area (mm <sup>2</sup> )
78	55	132	6	1-2.5
92	64	146	8	2.5-6



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-380V- 240-415V-	3P+N+E	IP44
32A	6h	220-380V- 240-415V-	3P+N+E	IP44




a	b	c	ø	Cable nominal cross-section area (mm <sup>2</sup> )
92	63	139	6	1-2.5
101	70	154	8	2.5-6



# Industrial Plugs & Sockets




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
63A	4h	110-130V~	2P+E	IP67



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
116	108	245	6-16




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
63A	6h	220-250V~	2P+E	IP67



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
116	108	245	6-16




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
63A	6h	380-415V~	3P+E	IP67



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
116	108	245	6-16



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
63A	6h	220-380V~ 240-415V~	3P+N+E	IP67




a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
116	108	245	6-16




# Industrial Plugs & Sockets

◆ Products that meet the German industry standard DIN VDE 0623, European / International Standard EN/IEC 60309-1/2 For other voltages and frequencies, please contact us for further information.




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	4h	110-130V-	2P+E	IP44
32A	4h	110-130V-	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
78	46	27	1-2.5
88	56	32	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-250V-	2P+E	IP44
32A	6h	220-250V-	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
78	46	27	1-2.5
88	56	32	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	380-415V-	3P+E	IP44
32A	6h	380-415V-	3P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
78	50	25	1-2.5
88	56	32	2.5-6



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-380V- 240-415V-	3P+N+E	IP44
32A	6h	220-380V- 240-415V-	3P+N+E	IP44




a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
88	48	25	1-2.5
98	62	28	2.5-6



# Industrial Plugs & Sockets




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
63A	4h	110-130V~	2P+E	IP67



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
117	85	57	6-16




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
63A	6h	220-250V~	2P+E	IP67



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
117	85	57	6-16




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
63A	6h	380-415V~	3P+E	IP67



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
117	85	57	6-16



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
63A	6h	220-380V~ 240-415V~	3P+N+E	IP67




a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
117	85	57	6-16




# Industrial Plugs & Sockets

◆ Products that meet the German industry standard DIN VDE 0623, European / International Standard EN/IEC 60309-1/2 For other voltages and frequencies, please contact us for further information.




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	4h	110-130V-	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
74	72	45	1-2.5




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-250V-	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
74	72	45	1-2.5




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	380-415V-	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
84	73	46	1-2.5



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-380V- 240-415V-	3P+N+E	IP44




a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
90	77	49	1-2.5



# Industrial Plugs & Sockets




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
32A	4h	110-130V~	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
96	92	52	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
32A	6h	220-250V~	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
96	92	52	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
32A	6h	380-415V~	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
96	92	52	2.5-6



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
32A	6h	220-380V~ 240-415V~	3P+N+E	IP44




a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
102	95	51	2.5-6




# Industrial Plugs & Sockets

◆ Products that meet the German industry standard DIN VDE 0623, European / International Standard EN/IEC 60309-1/2 For other voltages and frequencies, please contact us for further information.




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	4h	110-130V~	2P+E	IP44
32A	4h	110-130V~	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
78	71	131	1-2.5
83	71	140	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-250V~	2P+E	IP44
32A	6h	220-250V~	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
78	71	131	1-2.5
83	71	140	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	380-415V~	2P+E	IP44
32A	6h	380-415V~	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
78	71	131	1-2.5
83	71	140	2.5-6



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-380V~ 240-415V~	3P+N+E	IP44
32A	6h	220-380V~ 240-415V~	3P+N+E	IP44




a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
80	71	131	1-2.5
87	71	142	2.5-6



# Industrial Plugs & Sockets




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	4h	110-130V~	2P+E	IP44
32A	4h	110-130V~	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
70	41	24	1-2.5
70	50	28	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-250V~	2P+E	IP44
32A	6h	220-250V~	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
70	41	24	1-2.5
70	50	28	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	380-415V~	3P+E	IP44
32A	6h	380-415V~	3P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
70	41	24	1-2.5
70	50	28	2.5-6



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-380V~ 240-415V~	3P+N+E	IP44
32A	6h	220-380V~ 240-415V~	3P+N+E	IP44




a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
70	41	24	1-2.5
70	51	29	2.5-6




# Industrial Plugs & Sockets

◆ Products that meet the German industry standard DIN VDE 0623, European / International Standard EN/IEC 60309-1/2 For other voltages and frequencies, please contact us for further information.




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	4h	110-130V-	2P+E	IP44
32A	4h	110-130V-	2P+E	IP44



a	b	c	ø	Cable nominal cross-section area (mm <sup>2</sup> )
59	51	141	6	1-2.5
75	64	167	8	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-250V-	2P+E	IP44
32A	6h	220-250V-	2P+E	IP44



a	b	c	ø	Cable nominal cross-section area (mm <sup>2</sup> )
59	51	141	6	1-2.5
75	64	167	8	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	380-415V-	3P+E	IP44
32A	6h	380-415V-	3P+E	IP44



a	b	c	ø	Cable nominal cross-section area (mm <sup>2</sup> )
65	55	141	6	1-2.5
75	64	167	8	2.5-6





Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-380V- 240-415V-	3P+N+E	IP44
32A	6h	220-380V- 240-415V-	3P+N+E	IP44



a	b	c	ø	Cable nominal cross-section area (mm <sup>2</sup> )
72	64	160	8	1-2.5
84	70	174	8	2.5-6





# Industrial Plugs & Sockets




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	4h	110-130V~	2P+E	IP44
32A	4h	110-130V~	2P+E	IP44

a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
90	71	165	1-2.5
100	71	179	2.5-6





Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-250V~	2P+E	IP44
32A	6h	220-250V~	2P+E	IP44

a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
90	71	165	1-2.5
100	71	179	2.5-6



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	380-415V~	3P+E	IP44
32A	6h	380-415V~	3P+E	IP44

a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
92	71	165	1-2.5
102	71	179	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-380V~ 240-415V~	3P+N+E	IP44
32A	6h	220-380V~ 240-415V~	3P+N+E	IP44

a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
100	71	166	1-2.5
109	71	180	2.5-6




# Industrial Plugs & Sockets

◆ Products that meet the German industry standard DIN VDE 0623, European / International Standard EN/IEC 60309-1/2 For other voltages and frequencies, please contact us for further information.




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	4h	100-130V-	2P+E	IP44
32A	4h	100-130V-	2P+E	IP44



a	b	c	∅	Cable nominal cross-section area (mm <sup>2</sup> )
72	51	151	6	1-2.5
92	64	177	8	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-250V-	2P+E	IP44
32A	6h	220-250V-	2P+E	IP44



a	b	c	∅	Cable nominal cross-section area (mm <sup>2</sup> )
72	51	151	6	1-2.5
92	64	177	8	2.5-6




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	380-415V-	3P+E	IP44
32A	6h	380-415V-	3P+E	IP44



a	b	c	∅	Cable nominal cross-section area (mm <sup>2</sup> )
78	55	151	6	1-2.5
92	64	177	8	2.5-6



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	220-380V- 240-415V-	3P+N+E	IP44
32A	6h	220-380V- 240-415V-	3P+N+E	IP44




a	b	c	∅	Cable nominal cross-section area (mm <sup>2</sup> )
92	63	169	6	1-2.5
101	70	185	8	2.5-6



# Industrial Plugs & Sockets




Normal Current	Voltage	Number of Poles	Protection Degree
16A	220-250V~	2P+E	IP44



a	b	Cable nominal cross-section area (mm <sup>2</sup> )
40	96	1-2.5




Normal Current	Voltage	Number of Poles	Protection Degree
16A	220-250V~	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
70	53	67	1-2.5




Normal Current	Voltage	Number of Poles	Protection Degree
16A	220-250V~	2P+E	IP44



a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
72	48	123	1-2.5



Normal Current	Voltage	Number of Poles	Protection Degree
16A	220-250V~	2P+E	IP44




a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
63	43	25	1-2.5




# Industrial Plugs & Sockets

◆ Products that meet the German industry standard DIN VDE 0623, European / International Standard EN/IEC 60309-1/2 For other voltages and frequencies, please contact us for further information.




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	$\frac{220-380V-}{240-415V-}$	3P+N+E	IP44



a	b	Cable nominal cross-section area (mm <sup>2</sup> )
70	125	1-2.5




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	$\frac{220-380V-}{240-415V-}$	3P+N+E	IP44



a	b	Cable nominal cross-section area (mm <sup>2</sup> )
85	132	1-2.5




Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	$\frac{220-380V-}{240-415V-}$	7P+E	IP44



a	b	Cable nominal cross-section area (mm <sup>2</sup> )
63	160	1-2.5



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree
16A	6h	$\frac{220-380V-}{240-415V-}$	7P+E	IP44




a	b	c	Cable nominal cross-section area (mm <sup>2</sup> )
83	50	25	1-2.5




# Industrial Plugs & Sockets


Multi-function Plug & Socket & Connector



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree	mm	
					a	b
16A	6h	220-240V-	2P+E	IP44	203	185
32A	6h	220-240V-	2P+E	IP44	285	255



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree	mm	
					a	b
16A	6h	380-415V-	3P+E	IP44	205	185
32A	6h	380-415V-	3P+E	IP44	285	255



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree	mm	
					a	b
16A	6h	220-380V- 240-415V-	3P+N+E	IP44	265	240



# Industrial Plugs & Sockets

◆ Products that meet the German industry standard DIN VDE 0623, European / International Standard EN/IEC 60309-1/2 For other voltages and frequencies, please contact us for further information.


3  
2P+E

4  
3P+E


5  
3P+N+E

20-25V 50-60Hz    40-50V 50-60Hz    110V 50-60Hz    250V 50-60Hz    400V 50-60Hz    500V 50-60Hz    100-300 Hz > 50V    301-500 Hz > 50V


3pol 4pol 5pol    3pol 4pol 5pol 12h 12h 12h    3pol 4pol 5pol 6h 9h 9h    3pol 4pol 5pol 9h 6h 6h    3pol 4pol 5pol 7h 7h 7h    3pol 4pol 5pol 10h 10h 10h    3pol 4pol 5pol 2h 2h 2h



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree	mm	
					a	b
16A	6h	220-240V-	2P+E	IP44	223	220
32A	6h	220-240V-	2P+E	IP44	318	305



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree	mm	
					a	b
16A	6h	380-415V-	3P+E	IP44	223	220
32A	6h	380-415V-	3P+E	IP44	318	305



Normal Current	Earth Contact Position	Voltage	Number of Poles	Protection Degree	mm	
					a	b
16A	6h	220-380V- 240-415V-	3P+N+E	IP44	305	295