


Splash



SS CABLE TIES & PVC COATED SS CABLE TIES

Product Catalog

SS CABLE TIES

SS Cable Ties


SS Cable ties, also known as stainless steel cable ties, are a type of fastener used to secure and organize wires, cables, and other items in a wide range of applications. They consist of a thin, flexible metal strip made from stainless steel, which is known for its strength, durability, and resistance to corrosion and heat.

Features

- High tensile strength
- Corrosion resistance
- Temperature resistance
- Fire resistance
- Durability
- Non-toxic
- Secure locking mechanism
- Versatility



Art. No.	Size	Tensile Strength (kg)	Max Bundle Dia (mm)
SCTSS10046	100 x 4.6	45	25
SCTSS15046	150 x 4.6	89	46
SCTSS20046	200 x 4.6	89	62
SCTSS25046	250 x 4.6	89	75
SCTSS30046	300 x 4.6	89	94
SCTSS40046	400 x 4.6	90	105
SCTSS45046	450 x 4.6	90	105
SCTSS30076	300 x 7.9	160	94
SCTSS37079	370 x 7.9	160	113
SCTSS45079	450 x 7.9	160	130
SCTSS52079	520 x 7.9	160	164
SCTSS60079	600 x 7.9	160	190
SCTSS100079	1000 x 7.9	160	311
SCTSS120090	1200 x 9.0	160	360



PVC COATED SS CABLE TIES

PVC Coated SS Cable Ties

Cable ties PVC coated SS, also known as PVC-coated stainless steel cable ties, are a type of fastener used to secure and organize wires, cables, and other items in a wide range of applications. They are made from a thin, flexible metal strip of stainless steel that is coated with a layer of PVC, which provides additional protection against corrosion, heat, and other environmental factors.

Features

- Combines strength of stainless steel with PVC coating
- Enhanced corrosion resistance
- UV and weather resistance
- Insulated for protection against electrical conductivity
- Smooth, non-abrasive surface prevents damage to cables
- Temperature and fire-resistant
- Secure self-locking mechanism



Art. No.	Size	Tensile Strength (kg)	Max Bundle Dia (mm)
SCTCSS10046	100 x 4.6	45	25
SCTCSS15046	150 x 4.6	89	46
SCTCSS20046	200 x 4.6	89	62
SCTCSS25046	250 x 4.6	89	75
SCTCSS30046	300 x 4.6	89	94
SCTCSS40046	400 x 4.6	90	105
SCTCSS45046	450 x 4.6	90	105
SCTCSS30076	300 x 7.9	160	94
SCTCSS37079	370 x 7.9	160	113
SCTCSS45079	450 x 7.9	160	130
SCTCSS52079	520 x 7.9	160	164
SCTCSS60079	600 x 7.9	160	190
SCTCSS100079	1000 x 7.9	160	311

